



CHINA HAINAN RUBBER INDUSTRY GROUP CO., LTD.

2024 12 k

$\bar{W}$	$\uparrow$		3
H			4
$\begin{smallmatrix} \bar{3} & \bar{3} \\ \bar{3} & \bar{3} \end{smallmatrix}$	M		4
$\bar{W}$	$M \quad \bar{U}$		4
H	$M \quad \vdots$		5
$\begin{smallmatrix} \bar{3} & \bar{3} \\ \bar{3} & \bar{3} \end{smallmatrix}$	M		6
	$K \quad K \quad \Psi$		7
$\bar{W}$	K		

W 4 4 ° 3 M 'E ^ γ Ÿ I 'E L ~ à κ
 V 4 4 'E 4 ~ ê T 4 " 'E İ γ Ÿ
 w ê 'E İ ~ à ê T 4 " İ ^ γ Ÿ ê İ İ ~ à ê ; 'E
 % † İ ê ; 'E İ ê T ° á İ İ r τ à ~ L
 Â
 H 'E 4 ê 'E İ İ r τ M 'E Â
 'E 4 4 P [2005] 18 ~ % 4 r Û 4 γ Û
 ' 4 'Y ~ Û 3 ~ 3 ~ 4600000000173123 Â
 2010 12 15 T İ Ψ % Ψ
 'E Λ Û 786,000,000 ~ G 2011 1 7 4 İ Â
 'E 'Y ' T 4 4 ° 3 M 'E ' 4
 ' CHINA HAINAN RUBBER INDUSTRY GROUP CO., LTD.
 W 'E δ ' o 103 ~ %

H

V² E² ' t² ã à H ~
 Ъ o 3 ù ~ H№ ≠ п Ы ~ Ī ~
 ù ~ A A ° 3 ~ η 1 ° 3 r ʌ
 z² E² ° G v v² ч қ ʌ ù Â
 M ш ~ E² ° à à v à à
 T Ũ à à ʌ ʌ à Ð ù² ' 3 ~ ù²
 3 ~ Ī 3 ~ 3 ~ ù² ~ L ~ ʌ
 ° ~ ' 3 ~ à à ψ à à ψ ʌ ù²
 ʌ à ù à à ' à à ~ L L Â

M

M

2	қ ' `Е̃	10,000,000	0.3179%	`Е̃	
3	Ғ. ^ ~ М `Е̃	4,000,000	0.1272%	`Е̃	
4	Ғ І 3 `Е̃	3,000,000	0.0954%	`Е̃	
5	Ғ к `Е̃	1,000,000	0.0318%	`Е̃	
6	. . 3	1,000,000	0.0318%	`Е̃	
VII		3,145,171,600	100%		

Н М `Е̃ м ч 4,279,427,797 ~ η ч Â
 Н М W `Е̃ `Е̃ `Е̃ ^ ' `Е̃ о 3 ~ Ъ γ Ъ à à Ñ à
 ê ~ y y `Е̃ м Ғ к v ↑ Â

Н М :

Н М Н `Е̃ ð ~ ш à ~ қ ψ №
 ≠ Ъ № = ~ ^ γ Й ↓ v '
 ^ w ~ `Е̃ ð м'
 ^ Н ~ `Е̃ ð м'
 ^ ∞ ∞ ~ қ ,
 ^ ~ γ `Е̃ ,
 ^ Л ~ à γ і Т ψ % і т Â
 Н V ∞ `Е̃ ~ γ : Y Â `Е̃ : Y ~ ê `Е̃ İ γ
 İ İ т ~ W Â
 Н М `Е̃ Й ↓ , Й ~ ^ γ ш à à
 ~ `Е̃ м'
 ^ w ~ : `Е̃ Y ,
 ^ Н ~ Ъ `Е̃ м і т `Е̃ VII ,
 ^ ∞ ∞ ~ м G 7/8 : '
 ^ ~ қ қ ψ Ъ № `Е̃ VII à № = ~ `Е̃ і м'
 ^ Л ~ м G `Е̃ ð ~ ч `Е̃ v Ъ '
 ^ `Е̃ `Е̃ ч `Е̃ е v і қ Â
 ☼ ~ `Е̃ Ъ `Е̃ м Â

 M

6

7

$\hat{A}$

—

 $\hat{A}$
$$\begin{aligned} & \kappa \psi \tilde{a} \mathcal{H} \psi \psi \quad \tilde{a} = \quad \dot{\nu} \quad \tilde{a} \quad \sim \\ = & \dot{\rho} \quad \dot{\nu} \quad \sim \quad \kappa \quad = \quad \mathfrak{b} \not\equiv \mathfrak{H} \quad 60 \quad \dot{\rho} \sim \quad \sim \quad \hat{A} \mathfrak{p} \quad \sim \\ & \kappa \psi \tilde{a} \mathcal{H} \psi \psi \quad = \quad \sim \quad = \quad \mathfrak{a} \mathfrak{o} \end{aligned}$$
 $\hat{A}$

М'Е Н а Е̃ Ё ã

Е̃ 180 У, : Ы Е̃ 1% У, : М К

й Н ѱ , Н Е̃ Ё ã

Е̃ || К̃ У й Н ѱ

Й ЁΨ , Ё Ё̃ Ъ Ї ã
 ~ Ё̃ ~ ||F K̃ γ й ЁΨ

 $\hat{A}$ [illegible]

30 $\dot{\rho}$ $\sim$ $'$ $\tilde{a}b$ $\vee$ $\Psi a'E^{\sim} \neq \dot{t} \int \gamma$

$$\begin{array}{ccccccc} \sim & \| & \kappa & \psi \cup E^{\sim} & \neq & \gamma & \vartheta \\ \vdash_{\perp} & \sim & E^{\sim}_{\text{vii}} & \sim & E^{\sim} & \sim & \bar{w} \\ & & & & & & \kappa^{\sim} \cup \gamma \sqcup \|_H \end{array}$$
$$\Gamma_{\mu} = \frac{1}{2} \left(\gamma_{\mu} + \gamma_5 \gamma_{\mu} \right) \quad \text{and} \quad \bar{\Gamma}_{\mu} = \frac{1}{2} \left(\gamma_{\mu} - \gamma_5 \gamma_{\mu} \right)$$

-4-

 $\hat{A}$ [illegible]

η $\tilde{E}_{\text{eff}}$ $\sim$ 180 μeV γ $\tilde{E}$ 1% μeV M

К^с γ ш || $\frac{ccc}{ccc}$ й η Е^х Нψ а Нψ

$$\gamma \qquad \mathfrak{H} \qquad \mathfrak{F} \qquad \hat{A}$$

W# Hầ i ấ

$$K \neq \sim K^{\wedge} \vee \neg \hat{A}$$
[illegible]
$$\hat{w} \sim \tilde{a},$$
$$\hat{H} \sim \psi \dot{\bar{\psi}} \quad M \sim$$

1. $\frac{1}{2}$

$$\hat{\alpha} \sim \hat{\beta} \quad K \neq \tilde{E} \quad \hat{\alpha} \sim \hat{\beta} \quad K \neq \tilde{E}$$
$$\beta \quad \kappa \quad \kappa \quad \tilde{E} \quad \tilde{V} \quad \neq \quad '$$

$$\begin{array}{lll}
 \wedge \quad \mathbb{M} \quad \sim & \%_0 \quad \dot{\mathbb{I}} \quad \mathfrak{N} & \mathbb{H} \quad ' \\
 \wedge \quad \mathbb{M} \quad \mathfrak{J} \sim & \text{'E}^{\sim} \quad \mathbb{M}' & \\
 \wedge \quad \mathbb{M} \quad \text{'E}^{\sim} & : \quad \mathbb{Z}_8 & \mathbb{Z}_8'
 \end{array}$$

ψ ~ τ λ í ~ Ηψ Â
 Ηψ Ъ 9 χ κ ψ̃ | 10 ρ ϑ ϑ̃ í ~ ч
 Ηψ Ъ Ъ 9 κ ψψ ~ Ηψ̃ γ 9 η Â
 λ μ γ ~ Ε̃ 10% ϑ̃̇ μ κ Ηψ 9 χ
 κ ψ̃ γ й Ηψ ϑ̃ Â Ηψ à
 ~ | 10 ρ ϑ̃ Ъ 9 χ κ ψ̃ й í Â
 Ηψ 9 χ κ ψ̃ ϑ̃ ϑ̃ Ηψ = 5 ρ ð̃ ϑ̃ κ
 ψ ~ τ λ í ~ τ κ Â
 Ηψ Ъ 9 χ κ ψ̃ | 10 ρ ϑ̃ ϑ̃ í ~ γ
 ~ Ε̃ 10% ϑ̃̇ μ κ Ηψ 9 χ κ ψ̃ γ
 й Ηψ ϑ̃ Â
 Ηψ 9 χ κ ψ̃ | 5 ρ ð̃ ϑ̃ κ ψ̃
 τ λ í ~ τ κ Â
 Ηψ ρ ð̃ ϑ̃ κ ψ̃ ~ ч Ηψ Ъ η κ ψ̃
 90 ϑ̃̇ γ ~ Ε̃ 10% ϑ̃̇ μ κ̃ γ 9 η Â
 λ μ ω Ηψ κ = 9 κ ψ̃ й Ηψ̃
 Ε̃ τ ψ ϑ̃ |' Â
 κ ψ = Ε̃ ||̃ 9 κ ϑ̃ γ 10% Â
 Ηψ 9 κ ð̃ ϑ̃ κ ψ̃ í κ ψ = Ε̃ ~ Ε̃ τ
 ψ ϑ̃ |' ' τ Â
 λ μ η 6 Ηψ κ 9 κ ψ̃ Ηψ Ηψ й 3
 ~ Â Ηψ ~ κ γ̃ Â
 λ μ̃ Ηψ κ 9 κ ψ̃ ψ Ε̃ Â
 κ ψ Ъ
 λ μ ρ 6 κ ψ̃ ~ í r = Η
 ~ f ~ à τ Â
 λ μ λ Ε̃ 9 κ ψ̃ Ηψ à Ηψ γ í γ ~ Ε̃ 3%
 ϑ̃̇ μ κ̃ Ε̃ ϑ̃ Â

1 'E 3% Ү, М қ̃ ~ γ қ ψ 10 || ₪ x
 й ' 9 Ā | 2 ρ ū ₪ қ ψ Ҳ ~ 'E
 x ρ Ā
 || ~ 9 ū ₪ қ ψ 'E ~ Ъ́ к қ ψ
 Т ↓ v Ā
 қ ψ Т ↓ Ъ́ ЛМ ~ қ ψ Ъ́
 = Ъ́ ₪ = Ā
 ЛМ 'E 9 қ ψ 20 ||^ Ъ́' ψ 9 ~ Й
 ~ Ү қ' x қ ψ G ψ 9 15 || Ү қ' ĭ ū
 x қ ψ̃ 9 G ψ 9 30 || ψ 9 à
 H Ā
 ЛМ ≠ қ ψ ' γ Й ρ '
 ^ w̃ ψ à ψ '
 ^ H~ ' ψ H '
 ^ 333 ~ γ ' η r қ ₪ қ ψ̃ ~ γ й η
 ₪ ψ ǎ v = қ η Ъ́ 'E қ'
 ^ ~ ₪ қ ψ қ '
 ^ Л~ ψ Ь ~ ~ ,
 ^ 'E~ ì r = ĭ = Ā
 ЛМ Ң қ ψ H à H e H ~ қ ψ Т ҲN
 H à H R̄ ~ ' γ Й ρ '
 ^ w̃ à Ъ́ ʎ à ' ɔ ' '
 ^ H~ Ъ́ 'E 'E қ ĭ L τ τ ,
 ^ 333 ~ 'E м '
 ^ ~ ì Т ψ ĭ ì r τ Ъ́ Ā
 ū L e H à H ~ β H à H R̄ γ 1 ₪ Ā
 ЛМ Ж ū ₪ қ ψ ~ ~ қ ψ Ъ́ ū ~ қ
 ψ Т ↓ Ъ́ ū Ā w̃ ₪ ū ~ 9 Л 9
 || 2 ɔ Ъ́ 'E Л Ā

Л К Ψ 9

$\hat{A} \quad \mathcal{G} \quad \kappa \quad \psi \quad \hat{a} \quad \mathcal{H} \quad \sim \quad \kappa_{\text{out}} \quad \psi \quad \hat{u} \quad \nu \quad \gamma \quad L$
 $\hat{I} \quad \tau \quad \hat{A}$
 $\mathcal{E} \mathcal{M} \bar{w} \quad \gamma \quad \kappa \quad \hat{i} \quad \eta \quad \sim \quad \mathcal{F} \quad \kappa \quad \psi$
 $\omega \quad \tau \quad \hat{a} \quad \hat{I} \quad a = \hat{A}$
 $\kappa \hat{\sim} \gamma \quad \mathcal{F} \quad \kappa \quad \psi \quad \hat{z} \hat{\sim} \gamma \quad \eta \quad \eta \psi \mathcal{F} = \hat{A}$
 $\mathcal{E} \mathcal{M} \mathcal{H} \quad \mathcal{O} \quad \kappa \quad \mathcal{F} \quad \psi \quad \sim \quad \mathcal{F} \quad \mathcal{M} \quad \hat{i} \quad \tau \quad \hat{i} \quad \mathcal{M}$
 $\mathcal{O} \quad \hat{a} \quad \nu \quad \eta \quad \tau \quad \mathcal{F} \quad \psi \quad \sim \quad \hat{i} \quad \mathcal{F}$
 $\mathcal{M} \quad \mathcal{O} \quad \hat{a} \quad \kappa \quad \mathcal{H} \hat{A}$
 $\kappa \quad \eta \quad \eta \quad \mathcal{F} \quad \psi \quad \hat{A} \quad \eta \quad \mathcal{F}$
 $\psi \quad \mathcal{F} \quad \mathcal{M} \quad \hat{a} \quad \hat{i} \quad \hat{i} \quad \eta \quad \mathcal{F}$
 $\psi \quad \sim \quad \eta \quad \mathcal{F} \quad \mathcal{M} \quad \hat{a} \quad \kappa \quad \gamma \quad \beta \quad \eta \quad \omega \quad \mathcal{F} \quad \hat{i} \quad \mathcal{H}$
 $\mathcal{H} \hat{A}$
 $\mathcal{E} \mathcal{V} \hat{\mathcal{A}} \quad \kappa \quad \mathcal{F} \quad \hat{i} \quad \tau \quad \mathcal{F} \quad \kappa \quad \psi \quad \mathcal{H} \quad \mathcal{H} \downarrow \rho \quad \mathcal{H}$
 $\hat{\sim} \bar{w} \sim \eta \quad \mathcal{H} \sim \quad \hat{i} = \mathcal{H}$
 $\hat{\mathcal{A}} \hat{\mathcal{A}} \hat{\mathcal{A}} \sim \mathcal{N} \neq \downarrow \sim \kappa \quad \psi \quad \bar{w} \quad \mathcal{H} \quad \hat{a} \quad \hat{i}$
 $\hat{\sim} \quad \mathcal{H} \quad \mathcal{H} \quad \hat{u}$
 $\hat{\mathcal{L}} \sim \quad \hat{\sim} \hat{A} \quad \mathcal{H} \quad \kappa \quad \nu \quad \gamma \quad \beta \quad \mathcal{H} \hat{A}$
 $\mathcal{E} \mathcal{M} \quad \mathcal{H} \quad \kappa \quad \mathcal{B} \quad \mathcal{B} \quad \hat{i} \quad \tau \quad \kappa \quad \eta \quad \sim \quad \gamma$
 $= \hat{A}$
 $\mathcal{E} \mathcal{M} \mathcal{L} \quad \eta \quad \mathcal{H} \quad \tau \quad \mathcal{H}$
 $\hat{i} \quad \tau \quad \mathcal{O} \quad \mathcal{E} \quad \hat{A} \quad \mathcal{E} \quad \mathcal{H} \quad \hat{i} \quad \tau \quad \mathcal{O} \quad \eta \quad \mathcal{H}$
 $\mathcal{G} \mathcal{E} \hat{\mathcal{A}} \quad \delta \quad \mathcal{O} \quad \psi \quad \mathcal{T} \quad \hat{i} \quad \tau \quad \hat{A}$
 $\mathcal{H} \psi \hat{a} \hat{i} \tau = = \mathcal{H} \psi \mathcal{H}$
 $\mathcal{F} \quad \mathcal{E} \quad \kappa \quad \psi \hat{A}$
 $\mathcal{E} \mathcal{M} \mathcal{E} \quad \mathcal{F} \quad \psi \quad \psi \quad \gamma \quad \mathcal{E} \quad \mathcal{L} \quad \mathcal{H} \hat{A} \psi \quad \gamma \quad \hat{\alpha} \quad \nu \quad \psi$
 $\hat{\sim} \quad \gamma \quad \beta \quad \sim \quad \hat{a} \quad \mathcal{M} \quad \hat{\sim} \quad \hat{a} \quad \delta \quad \hat{a} \quad \eta = \mathcal{M}$

15

,

$$\hat{\sim} \sim \mathfrak{F} \Psi \quad \kappa \quad \eta \quad \cdot \quad \cdot \quad \grave{a} \quad = \quad \mathfrak{M} \quad \check{\vee} \mathfrak{E}^{\sim} \quad \mathfrak{M}$$

$$\hat{\sim} \quad \bar{w} \quad \quad \quad \grave{a} \quad \ddot{u} \quad = \quad ,$$

$$\hat{\sim} \quad \mathfrak{J} \sim \quad \kappa \quad \quad \quad \gamma \quad \check{\imath} \quad ,$$

$$\hat{\sim} \quad \mathfrak{E}^{\sim} \quad \check{\imath} \quad \cdot \quad \quad \quad \grave{a} \quad \cdot \quad ,$$

$$\hat{\sim} \quad \neq \sim \quad \quad \quad \sim \Psi \quad \quad \quad \grave{\imath} \quad \mathfrak{r} \quad \acute{\rho} \quad \hat{A}$$

$$\neq \mathfrak{M} \mathfrak{J} \quad \circ \quad \cdot \quad \quad \quad \bar{G} \quad \Psi \quad \acute{\rho} \quad \quad \quad \grave{a} \% \quad \quad \quad \hat{A} \mathfrak{F} \quad \Psi \quad \quad \quad \mathfrak{H} \grave{a}$$

$$\mathfrak{H} \grave{a} \quad \mathfrak{H} \Psi \quad \mathfrak{y} \grave{a} \circ \quad \cdot \quad \quad \quad \grave{\imath} \quad \eta \quad \quad \quad \grave{a} \Psi \quad \mathfrak{h} \quad \cdot \quad \quad \quad \Psi \quad \quad \quad \odot \quad \quad \quad \hat{A} \Psi$$

$$\mathfrak{b} \quad \mathfrak{F} \quad \kappa \quad \quad \quad \mathfrak{Y} \check{\imath} \quad \eta \quad \mathfrak{F} \quad \quad \quad \mathfrak{y} \grave{a} \quad \quad \quad \check{\imath} \quad \grave{\imath} \quad \mathfrak{r} \quad = \quad ,$$

$$\bar{w} \quad \bar{G} \quad \sim \quad \bar{G} \quad \quad \quad \mathfrak{b} \mathfrak{E}^{\sim} \quad \quad \quad \hat{A}$$

$$\neq \mathfrak{M} \mathfrak{E} \quad \circ \quad \cdot \quad \quad \quad \bar{G} \quad \kappa \quad \Psi \quad \quad \quad \mathfrak{e} \quad \sim \quad \quad \quad = \quad \hat{A} \quad \mathfrak{b}^{\sim} \quad \mathfrak{z}$$

$$\mathfrak{l} \quad \quad \quad \kappa \quad \Psi \mathfrak{T} \quad \quad \quad \mathfrak{b} \quad \mathfrak{b} \mathfrak{F} = \quad \sim \quad \quad \quad \ddot{u} \quad \quad \quad \circ \quad \quad \quad \kappa$$

$$\Psi \quad \quad \quad \kappa \quad \Psi^{\sim} \quad \check{\imath} \quad \mathfrak{E} \quad \hat{A} \quad \sim \circ \quad \cdot \quad \quad \quad \mathfrak{E}^{\sim} \quad \quad \quad \mathfrak{T} \quad \quad \quad \Psi$$

$$\mathfrak{F} \quad \check{\imath} \quad \mathfrak{t}^{\cdot} \quad \quad \quad \hat{A}$$

$$\mathfrak{E} \quad \kappa \quad \Psi \quad = \quad =$$

$$\neq \mathfrak{M} \neq \quad \kappa \quad \Psi = \quad \mathfrak{N} \circ \mathfrak{u} \quad = \quad \neq = \quad \hat{A}$$

$$\kappa \quad \Psi \mathfrak{b} \mathfrak{F} \quad = \quad \sim \quad \quad \quad \mathfrak{F} \quad \kappa \quad \Psi \quad \kappa^{\wedge} \quad \acute{\cdot} \quad \kappa \quad \eta \quad \cdot \quad \sim \quad =$$

$$\mathfrak{v} \quad \quad \quad \hat{A}$$

$$\kappa \quad \Psi \mathfrak{b} \mathfrak{F} \quad \neq = \quad \sim \quad \quad \quad \mathfrak{F} \quad \kappa \quad \Psi \quad \kappa^{\wedge} \quad \acute{\cdot} \quad \kappa \quad \eta \quad \cdot \quad \sim \quad =$$

$$2/3 \quad \mathfrak{y} \odot \quad \quad \quad \hat{A}$$

$$\neq \mathfrak{M} \mathfrak{H} \quad \mathfrak{Y} \downarrow \mathfrak{H} \quad \kappa \quad \Psi \gamma \quad = \quad ,$$

$$\hat{\sim} \quad \bar{w} \sim \quad \mathfrak{H} \Psi \quad \quad \quad \mathfrak{H} \Psi \quad \quad \quad \mathfrak{b} \quad ,$$

$$\hat{\sim} \quad \mathfrak{H} \sim \quad \mathfrak{H} \Psi \quad \quad \quad \neq \quad \mathfrak{N} \circ \quad \quad \quad \mathfrak{T} \quad ,$$

$$\hat{\sim} \quad \sim \quad \mathfrak{H} \Psi \quad \quad \quad \mathfrak{H} \Psi \quad \quad \quad \kappa \quad \tilde{\omega} \quad \check{\imath} \quad \grave{\imath} \quad \quad \quad \mathfrak{U} \quad ,$$

$$\hat{\sim} \quad \sim \quad \mathfrak{E}^{\sim} \quad \quad \quad \grave{a} = \quad ,$$

$$\hat{\sim} \quad \mathfrak{J} \sim \quad \mathfrak{E}^{\sim} \quad ,$$

$$\hat{\sim} \quad \mathfrak{E}^{\sim} \quad \quad \quad \grave{a} \quad \quad \quad \gamma \quad \neq = \quad \quad \quad \gamma \quad \quad \quad \grave{\imath} \quad \mathfrak{r} \quad \mathfrak{H} \quad \hat{A}$$

$\neq \mathbb{M} \mathbb{K} \quad \mathbb{Y} \downarrow \mathbb{H} \quad \mathbb{K} \quad \Psi \mathbb{Y} \neq =$
 $\wedge \bar{\mathbb{W}} \sim \mathbb{E}^{\sim} \quad \mathbb{V} \quad \vdots \quad \mathbb{Y}$
 $\wedge \mathbb{H} \sim \mathbb{E}^{\sim} \quad \mathbb{N}_0 \quad \grave{\mathbb{a}}_{\mathbb{H}} \quad \grave{\mathbb{a}}$
 $\wedge \hat{\mathbb{A}} \sim \quad \mathbb{K}$
 $\wedge \sim \mathbb{E}^{\sim} \quad \bar{\mathbb{W}} \quad \rho \quad \bar{\mathbb{Y}} \grave{\mathbb{a}} \mathbb{F} \quad \mathring{\mathbb{G}} \quad \mathbb{E}^{\sim} \quad \bar{\mathbb{W}}$
 $\mathring{\mathbb{G}} \quad 30\% \quad \mathbb{H}$
 $\wedge \mathbb{J} \sim \quad \mathbb{E}^{\sim} \quad \mathbb{M}'$
 $\wedge \mathbb{E}^{\sim} \quad : \quad \mathbb{7}/_8$
 $\wedge \neq \sim \mathbb{E}^{\sim} \quad \mathbb{N}_0 \quad \mathring{\mathbb{I}}$
 $\wedge \mathring{\mathbb{H}} \sim \quad \grave{\mathbb{a}} \quad \sim \mathbb{Y} \mathring{\mathbb{I}} \quad \mathbb{K} \quad \Psi \mathbb{Y} = \quad \Psi \mathbb{E}^{\sim} \mathring{\mathbb{G}}$
 $\quad \grave{\mathbb{a}} \quad \mathbb{Y} \neq = \quad \mathring{\mathbb{I}} \mathbb{Y} \mathbb{H} \quad \hat{\mathbb{A}}$
 $\mathring{\mathbb{H}} \mathbb{M} \quad \mathring{\mathbb{K}}' \quad \mathbb{K} \mathbb{Y} \quad \sim \mathbb{Y} \mathring{\mathbb{I}} \quad \mathbb{Y} = \quad \mathbb{M} \quad \mathfrak{a} = \sim$
 $\bar{\mathbb{W}} \quad \mathbb{M}_j \quad \bar{\mathbb{W}} = \quad \hat{\mathbb{A}}$
 $\mathbb{E}^{\sim} \quad \mathbb{E}^{\sim} \quad \mathbb{M} = \sim \mathfrak{f} \quad \mathbb{N}_0 \quad \mathbb{M} \mathfrak{b} \quad \sim \mathbb{F} \quad \mathbb{K} \quad \Psi =$
 $\mathbb{M} \quad \hat{\mathbb{A}}$
 $\mathbb{K} \quad \Psi \quad \mathbb{T} \neq \quad \mathbb{H} \quad \sim \quad \mathbb{T} = \mathbb{Y}$
 $\hat{\mathbb{A}} \mathbb{Y} \quad \mathring{\mathbb{I}} \mathbb{E} \quad \hat{\mathbb{A}}$
 $\mathbb{K} \bar{\mathbb{Y}} \sim \mathbb{E}^{\sim} = \quad \mathbb{M} \quad \mathring{\mathbb{I}} \mathring{\mathbb{e}} \quad \mathbb{T} \quad \mathring{\mathbb{I}} \mathbb{E} \mathbb{M} \hat{\mathbb{A}} \quad \bar{\mathbb{W}} \quad \grave{\mathbb{a}} \quad \mathbb{H}$
 $\quad \mathring{\mathbb{O}} \quad \mathbb{N}_0 \quad \mathbb{M} \quad \bar{\mathbb{Y}} \sim \quad \mathbb{M} \mathbb{E} \mathring{\mathbb{O}} \quad \rho \mathfrak{b} \quad \mathfrak{a} = \sim \mathfrak{f} \mathfrak{b} \sim \mathbb{F}$
 $\mathbb{K} \quad \Psi = \quad \mathbb{M} \quad \hat{\mathbb{A}}$
 $\mathbb{E}^{\sim} \quad \mathbb{H} \Psi \grave{\mathbb{a}} \quad \mathbb{H} \grave{\mathbb{a}} \quad \mathbb{N}_0 \mathbb{H} \bar{\mathbb{W}} \mathbb{Y} \mathring{\mathbb{I}} = \quad \mathbb{M} \quad \mathbb{K} \quad \mathbb{W} \quad \grave{\mathbb{a}}$
 $\quad \mathbb{T} \quad \Psi \quad \mathring{\mathbb{G}} \quad \sim \mathbb{Y} \mathbb{E} \quad \mathbb{K} \quad \hat{\mathbb{A}}$
 $\mathbb{K} \quad \mathring{\mathbb{H}} \mathbb{N}_0 \quad \mathring{\mathbb{I}} \mathring{\mathbb{r}} \quad \mathbb{H} \quad \hat{\mathbb{A}} \quad \mathbb{Y} \quad \tilde{\mathbb{e}} \quad \mathring{\mathbb{I}} \quad \tilde{\mathbb{e}}$
 $\quad \mathbb{K} \quad \hat{\mathbb{A}} \quad \mathring{\mathbb{O}} \sim \mathbb{E}^{\sim} \mathfrak{b} \quad \mathbb{F} \mathbb{Y} \quad \mathring{\mathbb{O}} \quad \mathbb{L} \hat{\mathbb{A}}$
 $\mathring{\mathbb{H}} \mathbb{M} \bar{\mathbb{W}} \quad \mathbb{K} \quad \Psi \quad \mathring{\mathbb{T}} \mathring{\mathbb{T}}' \quad \mathbb{H} \quad \sim \mathring{\mathbb{T}} \quad \mathbb{K} \mathfrak{b} \quad \check{\mathfrak{a}} \mathfrak{b} =$
 $\mathring{\mathbb{I}} \quad \mathbb{Y} = \quad \mathbb{M} \mathfrak{b} \sim = \quad \mathbb{K} \quad \Psi = \quad \mathbb{E} \quad \mathring{\mathbb{H}} \mathbb{N}_0$
 $\mathring{\mathbb{T}} \quad \mathbb{K} = \quad \hat{\mathbb{A}}$
 $\mathbb{K} \quad \Psi \quad \mathring{\mathbb{T}} \mathring{\mathbb{T}}' \quad \mathbb{H} \quad \sim \quad \mathbb{H} \Psi \quad \mathbb{Y} \quad \Psi \mathring{\mathbb{O}} \quad \mathbb{F} \mathbb{W} \quad \mathring{\mathbb{T}}$
 $\grave{\mathbb{a}} \quad \mathring{\mathbb{O}} \quad \mathring{\mathbb{T}} \quad \mathbb{K} \quad \sim \quad \mathring{\mathbb{G}} \mathring{\mathbb{T}} \quad \mathbb{K} \quad \mathbb{Y} \infty \sim$

$H_u = \sim \kappa = \sim \gamma \tau a \hat{A} H\psi \quad \kappa'E$
 $\bar{R} \quad H\grave{a} \quad H \quad \gamma \quad \hat{A} \quad L \acute{i} \quad r \quad b \quad \downarrow \quad \mathfrak{H}'$
 $1 \grave{a} \mathfrak{b} \psi \quad \omega \quad \kappa \quad e \quad H \quad H \sim \gamma \quad a \quad \sim \quad G \acute{i}$
 $= \quad m \quad \check{e} \gamma \quad H \quad H \quad \cdot \quad '$
 $2 \grave{a} \quad \omega \quad \kappa \sim \gamma \quad m \quad \eta \quad \tau \quad \bar{w} \beta \bar{R} \quad H \quad H \check{z} \hat{z}$
 $N_2 \quad \kappa \quad \beta \bar{R} \quad H \quad H'$
 $3 \grave{a} \quad \omega \quad \kappa \quad \downarrow \omega \bar{R} \quad H\grave{a} \quad H \quad \sim \gamma \quad G \quad \gamma \quad G \acute{i} \quad =$
 $m \quad \sim \quad f \mathfrak{b} \quad m \quad \bar{O} \quad \sim \quad p \acute{i} \quad \bar{R} \quad H \quad H$
 $\mathfrak{b} \quad \acute{i} \quad ,$
 $4 \grave{a} \quad \sim \quad \eta \quad \bar{R} \quad \cdot \quad \mathfrak{L} \quad \gamma \quad e \quad H \quad H_u$
 $\psi \quad \sim \quad \bar{R} \quad \cdot \quad \tau \quad \mathfrak{c} \quad \int \quad \gamma \quad \psi \quad \infty \quad H \quad H\hat{A}$
 $\mathfrak{H} \mathfrak{M} \quad L \quad \sim \quad \kappa \quad \psi \quad = \sim \quad \bar{w} H$
 $\mathfrak{b} \quad \sim \quad \mathfrak{F} \quad = \hat{A} \quad \mathfrak{b} \sim \quad z \quad \downarrow \quad \kappa$
 $\psi \tau \quad \mathfrak{b} \quad \mathfrak{b} \mathfrak{F} = \sim \quad \kappa \quad \psi \quad \mathfrak{b} \psi \quad \mathfrak{b} \mathfrak{z} = \hat{A}$
 $\mathfrak{H} \mathfrak{M} \mathfrak{L} \quad \kappa \quad \psi \quad \sim \quad \mathfrak{b} \quad \acute{k} \quad \sim \quad \downarrow \sim \quad \tau \acute{i}$
 $\psi \bar{w} \omega \quad \sim \quad \mathfrak{b} \quad \kappa \quad \psi \therefore = \hat{A}$
 $\mathfrak{H} \mathfrak{M} 'E \quad \bar{w} = \gamma \quad \grave{a} \quad \acute{i} \tau = \tau \quad \bar{w} \quad \hat{A} \quad \bar{w} =$
 $\mathfrak{F} \quad = \gamma \quad \bar{w} \quad \psi \% \hat{A}$
 $\mathfrak{H} \mathfrak{M} \neq \quad \kappa \quad \psi \quad \mathfrak{U} \quad = \hat{A}$
 $\mathfrak{H} \mathfrak{M} \mathfrak{H} \quad \kappa \quad \psi \quad = \mathbb{F} \sim \quad e \mathfrak{H} \quad \kappa \eta \quad \check{\alpha} \nu$
 $\hat{A} \quad H \quad \mathfrak{b} \quad \kappa \quad \tau \quad \tau \quad \sim \quad \tau \quad \kappa \acute{i} \eta \quad \cdot \quad \mathfrak{b} \quad \check{\alpha} \nu \quad \grave{a} \quad \hat{A}$
 $\kappa \quad \psi \quad = \sim \quad \grave{a} \quad \kappa \eta \quad \mathfrak{b} \quad H \eta \quad \cdot \quad \grave{a}$
 $\sim \quad 'E = \sim = \sim \quad \sim \psi \quad \hat{A}$
 $\acute{i} \tau \quad 'E^{\sim} \quad \kappa \quad \acute{i} \eta \quad \cdot \quad \sim$
 $\hat{A}$
 $\mathfrak{H} \mathfrak{M} \mathfrak{K} \quad \kappa \quad \psi \quad \mathfrak{b} \quad G \quad \acute{i} \tau \quad \sim \psi \quad h \quad \cdot$
 $\bar{w} \quad = \quad \cdot \quad \sim \quad = \quad \hat{A}$
 $'E = \mathbb{F} \sim \quad \kappa \quad \psi \quad \grave{a} \quad \acute{i} \acute{i} \tau = \tau \quad \acute{i} \therefore 'E^{\sim} \quad \grave{a}$
 $\cdot \quad \grave{a} \quad \cdot \quad \grave{a} h \quad \kappa \quad \grave{a} \quad \mathfrak{r} \quad \tau \quad \mathfrak{L} \quad = \quad \cdot \quad \bar{G} \quad \mathfrak{H} \mathfrak{r} \hat{A}$

ЖМ ̸ κ ψ κ̃ ' = ð γ ð η w' à
 ð Â
 à à = à = ψ = ≠
 ð м = ψ í È Â
 ЖМ w ψ h ' = = κ v ~ γ
 ' ψ h ~ ̸ ψ κ κ η ψ h
 = √ ~ ψ h √
 Â
 ЖМ h κ ψ = í 'E ~ 'E τ ↓ ̸ ψ κ η
 à = м í √ 'Ẽ = м ° à = à
 = √ = ρ Â
 ЖМ̂ κ ψ í || κ ψ = ~
 κ ψ = 'E τ б ≠ Â
 ЖМ κ ψ τ H à H e ~ κ H à H κ
 τ κ ψ = η Â
 ЖМ л κ ψ τ à 'E ~ 'Ẽ
 κ ψ 2 ω ρ í r Â

л á

ЖМ'E 'Ẽ ê τ ° á ì ê'Ẽ ì ~ á Â'Ẽ
 á ÿ à • ÿ à ∴ á Â'Ẽ á б ~ á
 à L ~ 'Ẽ L á б ~ 'Ẽ ~ r'E
 τ ↓ Â
 ЖМ ≠ á ÿ à • ÿ í ì r á ê τ ° á ì τ
 e κ ° Â ∴ б á ~ γ ~ H ψ à H ψ à
 ~ H ψ à H ψ à τ ∴ б á ~ γ √ τ ~ á Â
 ЖМ ñ 'Ẽ á ð б ~ à à G ~ √
 = o з H Â h 'Ẽ ~ á τ à r
 ^ w ~ G á 'Ẽ ~ á τ à r

$= \sim \acute{\alpha} \gamma \ddot{\epsilon} \acute{\alpha} \tau \flat$,
 $\wedge \text{H} \sim \acute{\alpha} \uparrow \flat \text{H} \psi \psi \gamma \ddot{\imath} \psi \alpha$
 $\text{H} \psi \hat{A} \acute{\alpha} \text{H} \psi \neq \sim \text{H}$
 $\psi \grave{a} \psi \text{H} \psi \kappa \sim \text{r} \neq$,
 $\hat{\sim} \acute{\alpha} \psi \text{H} \psi \grave{a} = \Vdash \hat{A} \acute{\alpha} \psi \ddot{\imath}$
 $\text{'E} \ddot{\alpha} \ddot{\alpha} \grave{a} = \text{H} \grave{a} \text{H} \kappa \ddot{\alpha} \text{H} \grave{a} \text{H} \grave{a}$
 $\alpha \text{H} \ddot{\imath} \oplus \neq \neq \sim \text{'P}$
 $\text{H} \psi \grave{a} =$,
 $\wedge \sim \eta \text{r} \text{H} \acute{\alpha} \text{h} \text{r} \kappa \hat{A} \text{'E} \flat \grave{a} \flat \grave{a}$
 $\grave{a} \circ \mathfrak{z} \psi \grave{a} \flat \hat{A} \acute{\alpha} \sim \oplus$
 κ'
 $\wedge \text{J} \sim \ddot{\imath} \text{r} \text{'E} \acute{\alpha} \hat{A}$
 $\mathfrak{J} \mathfrak{M} \mathfrak{J} \text{'E} \acute{\alpha} \text{L}$
 $\wedge \bar{w} \sim \acute{\alpha} \text{y} \text{h} \acute{\alpha} \eta \flat \circ \text{h} \acute{\alpha} \psi \sim \acute{\alpha} \sim$
 $\ddot{\alpha} \acute{\alpha} \mathfrak{D}'$
 $\wedge \text{H} \sim \acute{\alpha} \bullet \text{y} \uparrow \acute{\alpha} \text{y} \flat \ddot{\imath} \acute{\alpha} \text{y} \tau$,
 $\hat{\sim} \acute{\alpha} \text{y} \sim \ddot{\epsilon} \acute{\alpha} \sim \gamma \acute{\alpha} \bullet \text{y} \ddot{\imath} \text{r} \acute{\alpha} \text{h} \acute{\alpha}$
 $\flat' \acute{\alpha} \acute{\alpha} = \sim \tau \flat \alpha \tau$,
 $\wedge \sim \acute{\alpha} \psi \text{h} \rho \acute{\alpha} \alpha \text{T} \text{r} = \text{H} \sim$
 $\acute{\alpha} \text{y} \text{h} \sim \acute{\alpha} \neq \downarrow \psi \text{h} \hat{A}$

$\text{'E} \text{H} \psi$

$\bar{w} \text{H}$

$\bar{w} \text{'E} \text{H} \psi \sim \text{Y} \downarrow \text{H} \bar{w} \sim \flat \kappa \text{'E} \text{H}'$
 $\wedge \bar{w} \sim \text{H} \psi \text{z} \text{L} \text{H} \psi \text{z}'$
 $\wedge \text{H} \sim \grave{a} \grave{a} \vee \infty \grave{a} \infty \psi \text{h} \text{H} \sim \infty$
 $\frac{5}{8} \sim 5 \sim \neq 5 \sim$
 $\frac{5}{8} \sim \frac{5}{8} \text{H} 2$,

$\hat{\alpha}_i \sim K^{\alpha_0} \quad E^{\tilde{\alpha}} \alpha \circ \beta \quad H \quad \lambda \quad \alpha \quad \sim \quad E^{\tilde{\alpha}} \alpha \circ \beta \quad \alpha_0$
 $\mathbb{Q}_i \quad K \quad \sim \quad E^{\tilde{\alpha}} \alpha \circ \beta \quad \alpha_0 \quad H \quad \beta \quad ,$
 $\hat{\alpha}_i \sim K \quad \sim \quad \beta \quad \alpha \quad \mathfrak{D} \quad \tau \quad E^{\tilde{\alpha}} \alpha \circ \beta \quad \eta \quad \sim$
 $\mathbb{Q}_i \quad K \quad \sim \quad E^{\tilde{\alpha}} \alpha \circ \beta \quad \sim \quad \beta \quad \alpha \quad \mathfrak{D} \quad \tau \quad H$

^ M~ à à ĩ ì ı ı ı Â
 Hı ĩ ~ 'E~ ' 'E~ ~
 ã κ Â
 w ˆ Hı à ~ 'E~ Ÿ ↓ ı ı ı ı ı
 ^ w~ à à ı ı a'E~ ı ≠~ γ G 'E~ ı ı
 ˆ à γ ĩ ı ~ ı ı ı ı
 ı ı ı ı ı ı
 ı ı ı ı ı ı
 ^ H~ 'E κ'
 ^ ˆ ˆ ˆ ~ ĩ ı 'E~ ı ı ı ı ı ı ı ı
 ^ ~ 'E~ ı ÂG 'E~ Hı à‰ à '
 ^ ı~ Hıψ ı ı , ~ ı Hıψ Hı a '
 ^ 'E~ à à ĩ ì ı ı ı ı ı ı ı ı Â
 w

24

$\hat{\mathbb{X}} \sim \kappa \psi \quad \rho \sim = \mathbb{E} \quad \grave{\alpha} \quad \mathbb{F} \quad \infty \quad \grave{\alpha} \quad \mathbb{H} \quad ,$
 $\hat{\mathbb{M}} \sim = \mathbb{E} \quad \rho$
 $\hat{\mathbb{M}} \bar{\omega} \sim = \kappa \quad \mathbb{E} \quad \grave{\alpha} \quad \mathbb{H} \psi \quad \mathfrak{y} \mathfrak{i} \mathfrak{i} \quad \mathbb{H} \quad \mathbb{H} \quad ,$
 $\quad \quad \quad \sim = \kappa \quad \mathbb{E} \quad \mathfrak{r} \quad \grave{\alpha} \quad \bullet \quad \quad \quad \sim =$
 $\mathfrak{i} \quad \mathbb{H} \quad \mathbb{H} \quad ,$
 $\hat{\mathbb{M}} \mathbb{H} \sim \mathbb{L} \quad \mathbb{E} \quad \mathbb{L} \quad ,$
 $\hat{\mathbb{M}} \hat{\omega} \sim \mathbb{L} \quad \acute{\mathfrak{k}} \quad ,$
 $\hat{\mathbb{M}} \sim \mathbb{E} \quad \mathbb{H} \quad \mathbb{H} \quad ,$
 $\hat{\mathbb{M}} \mathbb{J} \sim \kappa \psi \quad \psi \mathbb{E} \quad \psi \quad \mathbb{H} \mathfrak{r} \quad ,$
 $\hat{\mathbb{M}} \mathbb{E} \sim \mathfrak{u} \mathbb{E} \quad \mathfrak{b} \quad \mathfrak{b}'$
 $\hat{\mathbb{M}} \neq \sim \grave{\alpha} \quad \grave{\alpha} \quad \mathfrak{z} \quad \mathfrak{i} \mathfrak{i} \quad \hat{\mathbb{A}}$
 $\mathbb{E} \quad \mathbb{H} \psi \quad \grave{\alpha} \quad \grave{\alpha} \quad \grave{\alpha} \quad \mathfrak{b} \quad \mathfrak{r} \mathbb{F} \quad \psi \hat{\mathbb{A}} \quad \psi \mathfrak{h}$
 $\mathbb{E} \quad \mathfrak{r} \mathbb{H} \quad \mathfrak{i} \mathfrak{i} \quad \grave{\alpha} \quad \mathfrak{i} \quad \mathfrak{r} \rho \quad \mathfrak{b} \quad \rho \quad \mathbb{L}'$
 $\psi \mathfrak{h} \quad \mathbb{E} \quad \mathfrak{r} \quad \mathfrak{u} \quad = \quad \mathbb{F} \quad , \quad \psi \mathfrak{h}$
 $\mathbb{E} \quad \mathbb{H} \quad \quad \quad \grave{\alpha} \quad \% \mathfrak{i} \quad \mathbb{F} \quad ,$
 $\mathfrak{b} \quad \psi \mathfrak{h} \quad \mathbb{L} \quad \mathbb{E} \quad \mathbb{H} \mathfrak{i} \quad \quad \quad \% \quad \sim \quad \mathbb{L}$
 $\grave{\alpha} \quad \mathbb{E} \quad \mathbb{H} \mathfrak{i} \quad \quad \quad \mathfrak{b} \quad \hat{\mathbb{A}} \mathbb{F} \quad \psi \quad \mathbb{H} \psi \quad \sim \quad \omega$
 $\mathbb{H} \psi \quad \quad \quad \mathbb{H} \psi \quad = \quad \hat{\mathbb{A}} \mathbb{F} \quad \psi \quad \eta$
 $\mathbb{H} \quad \sim \quad \mathfrak{i} \mathfrak{r} \quad \psi \grave{\alpha} \quad \psi \grave{\alpha} \quad \mathfrak{b} \quad \psi \mathfrak{r} \quad \mathbb{H} \mathbb{V} \quad \kappa$
 $\circ \quad \sim \quad \psi \circ \quad \psi \mathbb{F} \mathfrak{z} \quad \hat{\mathbb{A}} \quad \mathbb{H} \psi \quad \mathbb{L} \quad \mathbb{F} \quad \psi \quad \mathfrak{b} \quad \sim$
 $\mathbb{F} \quad \psi \quad \mathfrak{b} \hat{\mathbb{A}}$
 $\bar{\omega} \quad \bar{\omega} \mathbb{M} \mathbb{J} \quad \mathbb{E} \quad \mathbb{H} \psi \quad \mathfrak{Y} \psi \quad \mathbb{E} \quad \mathfrak{r} \quad \mathbb{F} \mathfrak{i} \quad \%$
 $\kappa \quad \psi \mathfrak{b} \mathbb{F} \quad \hat{\mathbb{A}}$
 $\bar{\omega} \quad \bar{\omega} \mathbb{M} \mathbb{E} \quad \mathbb{H} \psi \mathbb{L} \quad \mathbb{H} \psi \quad \mathbb{H} \quad \mathfrak{r} \quad \gamma \quad \bar{\mathbb{G}} \quad \mathbb{H} \psi \quad \kappa \quad \psi = \sim$
 $\mathfrak{b} \quad \sim \quad \bar{\mathbb{G}} \quad = \quad \hat{\mathbb{A}}$
 $\bar{\omega} \quad \bar{\omega} \mathbb{M} \neq \quad \mathbb{H} \psi \quad \grave{\alpha} \quad \mathbb{F} \quad \infty \quad \grave{\alpha} \quad \infty \quad \grave{\alpha} \quad \bar{\mathbb{G}}$
 $\mathbb{H} \quad \grave{\alpha} \quad \grave{\alpha} \mathfrak{r} \quad \quad \grave{\alpha} \quad \sim \quad \mathbb{H} \quad = \quad ,$
 $\mathfrak{r} \mathbb{F} \quad \grave{\alpha} \mathbb{F} \mathfrak{z} \quad \sim \quad \kappa \quad \psi \quad \% \hat{\mathbb{A}}$
 $\mathbb{H} \psi \quad \quad \quad \mathbb{H} \quad \sim \quad \mathfrak{H} \downarrow \quad \% \quad ,$

[illegible]

$\bar{w} \approx \mathcal{M} \quad \mathcal{H} \Psi \Psi \quad \gamma \dot{\gamma} \rho \quad$
 $\wedge \quad \bar{w} \sim \Psi \quad \grave{a} \quad \quad \quad$
 $\wedge \quad \mathcal{H} \sim \mathcal{F} \quad \mathcal{H} \quad \gamma \dot{\gamma} \dot{\gamma} \dot{\gamma} \quad \mathcal{F} \quad \mathcal{H} \Psi \quad \mathcal{H} \hat{\gamma} \quad \sim \quad$
 $\wedge \quad \approx \sim \Psi \quad$
 $\wedge \quad \sim \quad \mathcal{H} \ddot{u} \quad$
 $\wedge \quad \mathcal{L} \sim \quad \bar{w} = \quad \mathcal{H} \quad = \quad \wedge \quad = \quad \grave{a} \dot{\gamma} \quad \sim \hat{A}$
 $\neq \quad \dot{\gamma} \dot{\gamma} \dot{\gamma} \quad$

$\bar{w} \approx \mathcal{M} \bar{w} \quad \dot{E} \quad 1 \quad \sim \quad \mathcal{H} \Psi \quad \kappa \quad \hat{A}$
 $\dot{E} \quad \vdash \quad \grave{a} \quad \mathcal{H} \Psi \quad \dot{\gamma} \grave{a} \quad \grave{a} \mathcal{F} \mathfrak{z} \quad \sim \quad \mathcal{H} \Psi \quad \kappa \quad \hat{A}$
 $\dot{E} \quad \grave{a} \acute{\alpha} \quad \dot{\gamma} \dot{\gamma} \grave{a} \quad \dot{\gamma} \dot{\gamma} \vdash \quad \grave{a} \quad \mathcal{H} \Psi \quad \dot{\gamma} \dot{\gamma} \quad \grave{a} \mathcal{F} \mathfrak{z}$
 $\dot{E} \quad \mathcal{H} \Psi \quad \mathcal{C} \quad \kappa \quad \vdash \quad \dot{\gamma} \dot{\gamma} \quad \mathcal{C} \dot{E} \quad \quad \hat{A}$
 $\bar{w} \approx \mathcal{M} \mathcal{H} \quad \bar{w} \quad \mathcal{G} \mathcal{B} \quad \kappa \quad \mathcal{H} \quad \sim \quad \mathcal{G}$
 $\circ \quad \hat{A} \quad / \quad \approx$

$$\begin{array}{l}
\hat{\eta} \sim H\psi \quad \mathfrak{z} \quad \dot{\mathfrak{z}} \quad \hat{A} \\
\downarrow \quad H\psi\psi \quad \hat{A} \\
\eta \quad E^{\sim} \quad \mathfrak{z} \quad \vdash \quad , \quad G E^{\sim} \quad \mathfrak{z} \quad \vdash \quad \prime \quad H \quad \sim \\
\bar{w} \quad \bar{w} \vee \neq \quad H \quad \%_0 \quad \sim \quad K \quad \bar{w} \quad \%_0 \quad \int \quad 0.5\% \quad \sim \\
\sim \quad \gamma \quad A \quad \neq \quad = \quad \prime \quad \eta \quad \hat{\eta} \sim \quad H\psi \quad \mathfrak{z} \quad \dot{\mathfrak{z}} \quad \hat{A}
\end{array}$$

$$\kappa \neq \psi \tilde{e} \kappa \hat{A}$$
 $\tilde{\eta} \quad H\psi$ $\bar{W}$ H

$\bar{w}$ $\mathbb{V}_{\mathbb{A}^2}$ $\bar{w}$ τ g b k u $\sim$ g $u\hat{A}$
 $u\hat{a}$ $\dot{i}$ τ $\bar{b}$ l k $u\hat{A}$
 $\bar{w}$ $\mathbb{M}$ u $\hat{a}$ $\sim$ $E^\sim$ u $\vdash$
 χ χ u $\vdash$ $\bar{b}$ $\neq$ $\dot{i}$ $\dot{i}$ τ $\sim$ $\bar{b}$ $\sim$ $\mathbb{V}$ $E^\sim$ $^\infty$ $\hat{A}$
 $\bar{w}$ $\mathbb{M}$ $\mathcal{J}$ u k $\mathcal{C}$ 3 $\hat{A}$ u k $\sim$ $\sim$ γ k $\hat{A}$
 $\bar{w}$ $\mathbb{M}$ E u k $\dot{i}$ $\sim$ u k $\dot{p}$ u Ψ
 γ g $\bar{u}$ $\ncong$ u k $\parallel$ $\bar{u}$ l u ω $\hat{a}$
 $\sim$ u $\vdash$ $\hat{A}$
 $\bar{w}$ $\mathbb{M}$ $\neq$ u $\bar{G}$ $E^\sim$ H $\hat{a}\%$ $\hat{a}$ $\sim$
 $\mathfrak{y}$ $\hat{A}$
 $\bar{w}$ $\mathbb{M}$ $\mathfrak{H}$ $u^\sim$ γ $\downarrow$ $u\Psi\Psi$ $\sim$ $u\Psi$ $=$ u $\ncong$ $\hat{A}$
 $\bar{w}$ $\mathbb{M}$ $\mathcal{K}$ $u\bar{b}$ $\neq$ $\dot{i}$ τ τ $E^\sim$ $\neq$ $\sim$ $E^\sim$ $\sim$
 $\tilde{e}$ k $\hat{A}$
 $\bar{w}$ $\mathcal{J}$ $\mathbb{M}$ u $E^\sim$ $\vdash$ $\mathfrak{v}$ $\hat{a}$ $\hat{a}$
 $\sim$ $E^\sim$ $\sim$ $\tilde{e}$ k $\hat{A}$

$$\mathcal{H} \quad \mathcal{H} \Psi$$
[illegible]

$\tilde{E}$ $\sim$ $\vdash$ $\tilde{a} \neq z$ $\tilde{a}$
 $\tilde{U} \neq \frac{7}{8}$ $\neq N_0$ $W \sim \tilde{G} \neq N_0$ $\hat{A}$
 $\wedge H \sim \neq N_0$ $\tilde{I} \cap \tilde{Q}$
 $\tilde{E} \neq N_0$ $\sim$ $\tilde{U}$ $\tilde{a}$ $\tilde{a}$ $\sim$ $\tilde{i} \vdash$ $\sim$ $\tilde{i} \vdash$
 $\tilde{E} \cap \tilde{Q}$ $N_0 \neq N_0$ $\hat{A}$
 $\wedge \tilde{a} \tilde{a} \sim$ N_0 $\mathfrak{D}$ $\mathfrak{D}$
 $\sim$ $\tilde{E}$ $\tilde{E} \sim N_0 \neq \mathfrak{U}$ $\mathfrak{f}$ $\tilde{E}$ N_0
 $\neq \mathfrak{U}$ $\vdash$ $\mathfrak{F} \dot{\mathfrak{I}}$ $\%_0$ $\tilde{G}$ $\tilde{G}$ $\tilde{E}$
 $\tilde{U}$ $\mathbb{F}$ $\tilde{Y} \cap \mathfrak{E}$ $\bar{W}$ N_0 $\hat{A}\tilde{E}$ $\tilde{a} \tilde{a}$ γ
 $N_0 \neq \mathfrak{b}$ G $\tilde{a} \tilde{a}$ $\tilde{E} \sim N_0 \neq 30\% \hat{A}$
 $\sim$ $\sim$
 $\wedge 1 \sim \tilde{E}$ $\frac{7}{8}$ $\mathfrak{F} H \tilde{U}$ $\tilde{U} \wedge \mathfrak{I}$ $\sim \hat{A} \tilde{E}$
 $\sim$ $\mathfrak{M} H \mathfrak{Q}$ $\dot{\rho}$ $\tilde{a}$ $^{\circ}$ $\bar{y}$ $\dot{\mathfrak{I}}$ $\mathfrak{F}$ $\mathfrak{I}$
 $\tilde{E}$ $\bar{W}$ $\mathfrak{I}$ $^{\circ}$ 30% $H \sim$ $\mathfrak{V}$ $\mathfrak{T} \mathfrak{V}$ $\sim \gamma$ $\mathfrak{U} \%'$
 $\wedge 2 \sim$ $\mathfrak{I}$ γG $G \tilde{E}$ $\mathfrak{K}$ $\mathfrak{I} \neq \mathfrak{I}$
 $\wedge 3 \sim$ $^{\circ}$ $\tilde{V}$ $70\% \hat{A}$
 $\wedge \sim \tilde{U}$ $\neq \mathfrak{D}$
 $\tilde{E}$ $\sim$ $\mathfrak{f} H \psi$ $\mathfrak{U} \tilde{E}$ $\mathfrak{E}$ $\mathfrak{b} \tilde{E}$ $\mathfrak{b} \mathfrak{I}$ $\tilde{a} \tilde{U}$
 $\neq \neq G \tilde{E}$ $\mathfrak{I} \mathfrak{r}$ $\mathfrak{K}$ $\mathfrak{r} \neq \sim \sim \gamma$ $\mathfrak{E}$ N_0 $\mathfrak{D} \tilde{Y}$ $\mathfrak{F}$
 $\neq N_0$ $\hat{A}$
 $\wedge \mathfrak{I} \sim \neq N_0$ $\mathfrak{b} =$ L'
 $1 \tilde{a} \tilde{E}$ $\tilde{E} \neq \mathfrak{I} \tilde{a}$ $\gamma \dot{\mathfrak{I}}$ $\mathfrak{K}$ $\frac{7}{8} \sim$ $\mathfrak{F} \neq N_0$
 $\sim$ $\tilde{E} H \psi$ $L \neq N_0$ $\hat{A} \tilde{E}$ $H \tilde{U}$
 $\sim$ $H \psi \neq N_0$ $\hat{A}$
 $\tilde{E} H \psi L \neq N_0$ $\sim \neq N_0$ $\mathfrak{H} N_0 \sim$
 $\mathfrak{F} = \sim$ $H \psi \tilde{a} H \psi$ $\mathfrak{K}$ ψ $\hat{A}$
 $2 \tilde{a} \mathfrak{K}$ $\psi \neq N_0$ $\mathbb{F} \tilde{E}$ $\tilde{a} \mathfrak{D}$ $\tilde{a} \mathfrak{E}$ $\mathfrak{E} \varepsilon'$ $\sim$
 $\mathfrak{H}' \mathfrak{b}$ $\mathfrak{K} \neq \mathfrak{T}$ $\mathfrak{K} \dot{\mathfrak{I}}$ H $\sim \mathfrak{H} N_0$ $\tilde{U} \mathfrak{T}$ $\mathfrak{K}$
 H $\sim \dot{\mathfrak{I}}$ $\dot{\mathfrak{I}}$ $\mathfrak{I}$ $\hat{A}$

$3 \tilde{a} \quad \kappa \quad \psi \quad \neq \quad N_0 \quad \sim \quad \mathbb{F} \quad \kappa \quad \psi \quad \kappa^{\wedge} \quad \prime \quad \kappa \quad \eta \quad \dots \quad \sim$
 $= \quad H_0 N_0 \quad H_1 \quad \bar{w} \quad \mathbb{F} \quad \hat{A} \quad \tilde{E} \quad \circ \quad \kappa \quad \psi \quad \neq \quad N_0 \quad \sim \quad \sim \quad \gamma \quad \tilde{u}$
 $\psi \quad \kappa \quad \mathcal{L} \quad = \quad \tilde{a} \quad \mathcal{T} \quad \kappa \quad \tilde{\alpha} \quad \psi \quad \sim \quad \tilde{H} N_0 \quad \bar{G} \quad \kappa$
 $\dot{t} \quad \mathcal{T} \quad \kappa \quad \neq \quad \hat{A}$
 $4 \tilde{a} \quad H_0 \psi \quad H_0 \psi \quad \tilde{E} \quad N_0 \quad \kappa \quad \frac{7}{8} \quad \prime \quad \tilde{t} \quad =$
 $\hat{A}$
 $5 \tilde{a} \quad \tilde{E} \quad \mathcal{T} \quad \neq \quad N_0 \quad \mathcal{L} \quad \prime \quad \sim \quad \dots \quad \tilde{E}$
 $\sim \quad \kappa \quad \psi = \quad \sim \quad N_0 \quad \%_0 \quad \mathfrak{d} \quad \sim \quad \tau \quad =$
 $\mathcal{L} \quad \sim \quad H_0 \quad \sim \quad \mathcal{T} \quad \kappa \quad \dots \quad \int \tilde{H} N_0$
 $\hat{A} \quad N_0 \quad \dot{t} \quad \sim \quad \dot{t} \quad \mathfrak{d} \quad \tilde{t} \quad \dots$
 $\rho \quad \hat{A}$
 $\wedge \quad \tilde{E} \quad \neq \quad N_0 \quad \mathfrak{d} \quad \tilde{t}$
 $1 \tilde{a} \neq \quad N_0 \quad \mathfrak{d}$
 $\tilde{E} \quad H \quad N_0 \quad \gamma \quad \tilde{t} \quad \kappa \quad \psi \quad \%_0 \quad N_0 \quad \dot{t} \quad r$
 $\hat{A} \quad N_0 \quad \dot{t} \quad \sim \quad \int \quad \mathcal{L} \quad \tilde{a}$
 $\mathfrak{b} \quad \sim \quad z \quad \tilde{a} \quad \tilde{E} \quad \dot{t} \quad \tilde{E} \quad \infty \quad \sim \quad \tilde{E}$
 $\prime \quad \tilde{u} \quad \dot{t} \quad \sim \quad \tilde{E} \quad \sim \quad \neq \quad N_0 \quad \hat{A} \quad \neq \quad N_0$
 $\gamma \quad \bar{G} \quad \kappa \quad \dot{t} \quad \mathcal{T} \quad \kappa \quad \psi \quad \tilde{u} \quad \hat{A}$
 $2 \tilde{a} \neq \quad N_0$
 $\tilde{E} \quad \neq \quad N_0 \quad H_0 \psi \quad \mathcal{A} \quad \mathbb{F} \quad \mathcal{F} \quad \sim \quad \sim \quad \mathfrak{y}$
 $\sim \quad H_0 \quad \tilde{u} \quad \sim \quad H_0 \psi \quad \tilde{a} \quad H_0 \psi \quad \prime \quad \kappa$
 $\psi \quad \sim \quad \mathbb{F} \quad \kappa \quad \psi \quad \kappa \quad = \quad \hat{\mathcal{A}} \quad N_0 \quad H_1 \quad H_0 \quad \mathbb{F} \quad \hat{A} \quad \kappa \quad \psi \quad \neq \quad N_0$
 $\sim \quad \tilde{E} \quad \psi \quad \kappa \quad \mathcal{L} \quad \hat{A}$
 $\wedge \quad \neq \quad \sim \quad N_0 \quad \mathfrak{d} \quad \tilde{E} \quad H_0 \psi \quad \mathbb{F} \quad N_0 \quad \sim \quad \tilde{E} \quad H_0 \psi$
 $\mathcal{T} \quad \mathfrak{b} \quad N_0 \quad \mathcal{I} \quad \sim \quad \tilde{E} \quad \neq \quad \mathfrak{d} \quad \tilde{t} \quad H_0$
 $\mathcal{F} \quad \sim \quad H_0 \quad \tilde{u} \quad \psi \quad \tilde{E} \quad \hat{A} \quad \sim \quad \tilde{E}$
 $\tilde{a} \quad \kappa \quad \psi_0 \quad \mathbb{F} \quad \tilde{E} \quad \mathfrak{z} \quad \tilde{u} \quad \psi \quad \mathcal{T} \quad N_0 \quad \tau \quad H_0 \quad \mathfrak{z} \quad \gamma$
 $\hat{A} \quad \circ \quad \mathfrak{z} \quad \tilde{u} \quad \psi \quad \sim \quad \tilde{a} \quad \dot{t} \quad \mathfrak{r} \quad \circ \quad \psi \quad \sim \quad \tau$
 $H_0 \quad \mathfrak{b} \quad r \quad \tilde{a} \quad \kappa \quad \neq \quad \tilde{E} \quad \mathfrak{m} \quad \tilde{a} \quad \mathcal{T} \quad \kappa \quad \sim \quad \sim \quad \tilde{t}$

$\hat{r}$ $\kappa^{\sim}$ $\hat{A}$
 $\hat{\eta}^{\sim}$ κ $\vee$ $\tilde{E}$ $'^{\sim} \tilde{E}$ $\vdots$ κ N_0 $\neq^{\sim}$
 $\gamma \tilde{e}$ $\dot{\imath} \vee$ $\hat{A}$

$\mathfrak{H}$ $\dot{\rho}$

$\bar{w}$ $'E \mathfrak{M}$ $\tilde{E}$ $\dot{\rho}$ $L^{\sim}$ F $\neg$ $\tilde{E}$ $\vdash$
 $\neg$ $\dot{\rho}$ $\hat{A}$
 $\bar{w}$ $'E \mathfrak{M} \mathfrak{J}$

^ ~ ì ı Â
 ̄ ≠ √ √ 'Ẽ Û ̸ ̃ γ'E ̃ ̄ 'E ̃ ı ̃
 ı | Â
 ̄ ≠ √ √ 'Ẽ 9 κ √ √ ̃ γ'E Â
 ̄ ≠ √ 'Ẽ 9 √ √ √ ̃ γ F_ı à ı à ɔ à
 F ì ı ÿ Â
 ̄ ≠ √ √ 'Ẽ 9 √ √ √ ̃ γ F_ı à ı à ɔ à
 F ì ı ÿ Â
 ̄ ≠ √ 'E 'Ẽ γ F_ı ̸ ̃ ı ı ı

45 $\rho \sim \gamma$ $E \sim \tilde{e} \tilde{\nu} \vdash$ $\bar{G} \hat{A}$
 $\bar{w} \quad \tilde{\eta} \vee \bar{w}$ $E \sim \alpha_{\tilde{w}} N_0 \quad \hat{A} \quad \tilde{\nu} \quad \tilde{a} \tilde{\nu} \vdash$ E
 $E \quad \hat{A}$
 $\bar{w} \quad \tilde{\eta} \vee \mathcal{H}$ $E \sim N_0 \quad \tilde{\nu} \quad \tilde{a} \quad \mathcal{H} \quad N_0 \hat{A}$
 $E \sim N_0 \quad \tilde{\nu}$ $L \quad \tilde{\nu} \quad \tilde{a} \quad \mathcal{H} \quad \hat{A} \quad E \quad \mathcal{H} \neq N_0 = \mathcal{H} \quad 10$
 $\rho \quad \tilde{\nu} \quad \mathcal{H} \quad G$

$\gamma \quad \mu \quad k$
$$V_{\text{eff}} \quad \updownarrow$$

40

$\hat{A}$
 $\eta \quad \eta \quad \gamma \quad \tau \quad \eta \quad \Omega \quad \dot{\eta} \quad \tau \quad \kappa \quad \nu \quad \mathfrak{b} \quad \mathfrak{b}$
 $\mathfrak{H} \quad \sim \quad \gamma \quad \mathfrak{E} \quad \tau$